Gobi Hemp **Analytical Report - Certificate of Analysis**



Testing

Accreditation #103051


| Manifest: | 2308290008 |
|--------------|---|
| Sample ID: | 1A-GHEMP-2308290008-0006 |
| Sample Name: | Looper Live Badder Banana Punch - 082423ABP |
| Sample Type: | Concentrate |
| Client ID: | CID-50578 |
| Client: | L&K Distribution |
| Address: | 16831 Knott Ave, , La Mirada, CA 90638 |
| | |


| Test Performed: | Hemp Lab |
|-------------------|----------------------------|
| ntended Use: | Inhaled or Audited Product |
| Report No: | MT-2308290008-V1 |
| Receive Date: | 2023-08-29 |
| Test Date: | 2023-08-30 |
| Report Date: | 2023-09-01 |
| Sample Condition: | Good |
| Method Reference: | GH-OP-17 |

Scope: Arsenic, Cadmium, Lead and Mercury were determined by an Inductively Coupled Plasma Mass Spectrometer (ICP-MS) using an in-house developed method.

| Elemental Impurities | LOD (ppm) | LOQ (ppm) | Parts Per Million (ppm) |
|----------------------|-----------|-----------|-------------------------|
| Arsenic | 0.007 | 0.025 | ND |
| Cadmium | 0.003 | 0.01 | ND |
| Lead | 0.003 | 0.01 | ND |
| Mercury | 0.0009 | 0.003 | ND |

ND - not detected; T - trace; ULOQ - upper limit of quantitation; LOD - limit of detection; LOQ - limit of quantitation





Gobi Hemp Analytical Report - Certificate of Analysis



| Manifaat | 2201200000 | To at Darfarma di | Lloma Loh |
|--------------|---|-------------------|-----------------|
| Manifest: | 2308290008 | Test Performed: | Hemp Lab |
| Sample ID: | 1A-GHEMP-2308290008-0006 | Report No: | R-2308290008-V1 |
| Sample Name | : Looper Live Badder Banana Punch - 082423ABP | Receive Date: | 2023-08-29 |
| Sample Type: | Concentrate | Test Date: | 2023-08-30 |
| Client ID: | CID-50578 | Report Date: | 2023-09-01 |
| Client: | L&K Distribution | Sample Condition: | Good |
| Address: | 16831 Knott Ave, , La Mirada, CA 90638 | Method Reference: | GH-OP-08 |
| | | | |

Scope: The content of fifteen residual solvents was determined by an in-house developed method for Headspace-Gas Chromatography with Flame Ionization Detection.

| | Solvents | LOD (ppm) | LOQ (ppm) | Parts Per Million (ppm) | |
|----------------------------------|---|----------------|-----------|---|---------|
| | Propane | 135 | 372 | ND | |
| | Iso-Butane | 82 | 490 | ND | |
| | N-Butane | 107 | 490 | ND | |
| | Methanol | 38 | 120 | ND | |
| | Pentane | 73 | 100 | ND | |
| | Ethanol | 50 | 200 | ND | |
| | Acetone | 82 | 200 | ND | |
| | IPA | 40 | 200 | ND | |
| | Hexane | 25 | 50 | ND | |
| | Ethyl Acetate | 57 | 200 | ND | |
| | Benzene | 0.65 | 1 | ND | |
| | Heptane | 137 | 200 | ND | |
| | Toluene | 75 | 100 | ND | |
| | Xylenes | 112 | 200 | ND | |
| | ND - not detected; T - trac *Estimated result, greater | | | tation; ULOQ - upper limit of quantitation; | |
| | | | | | |
| c 1 | | | | | Desults |
| Parts Per Million 0.5 -0.5 | | | | | Results |
| ž | | | | | |
| 0 6 | | | | | |
| <u> </u> | | | | | |
| -0.5 | | | | | |
| | | | | | |
| 1 | Pro Iso, No Man | Per Eth Ac | IPA MAL | Ett. BR. HR. TOIL TU | 69 |
| | Pane Butan Ulane | anoi lane anoi | clone tan | e VI Acciene plane vene | enes |
| | 10 .0 | - | | Ethyl Benzene Ie Acetate | |
| | | | | | |
| | | | | | |

2023-09-01

Kristen Kenworthy, Laboratory Operations Manager



This report has been prepared by Gobi Hemp Laboratory exclusively for our Client and their Authorized Representatives. All analytical work is conducted in accordance with a mutually agreed upon scope of work and the terms and conditions as expressed in the Gobi Hemp Laboratory Service Agreement. This report is not to be reproduced in whole or in part without prior written approval. The results shown on this report relate only to the samples submitted to the laboratory. Estimated Uncertainty available upon request.



Date

● Gobi Hemp ● ● 3940 Youngfield St. ● Wheat Ridge CO 80033 ● ISO/IEC 17025:2017 Accredited ● (303)955-4934 ●

Gobi Hemp Analytical Report - Certificate of Analysis



| 2308290008 |
|---|
| 1A-GHEMP-2308290008-0006 |
| Looper Live Badder Banana Punch - 082423ABP |
| Concentrate |
| CID-50578 |
| L&K Distribution |
| 16831 Knott Ave, , La Mirada, CA 90638 |
| |


| Test Performed: | Hemp Lab |
|-------------------|-----------------|
| Report No: | R-2308290008-V1 |
| Receive Date: | 2023-08-29 |
| Test Date: | 2023-09-05 |
| Report Date: | 2023-09-06 |
| Sample Condition: | Good |
| Method Reference: | GH-OP-16 |

Scope: Ochratoxin and Total Aflatoxin were quantified using liquid chromatography coupled to multiple mass spectrometry (LC-MS/MS) equipped with electrospray ionization (ESI) in positive mode after sample extraction. Identification was based on the retention time of each compound and the product mass generated using single reaction monitoring (SRM). Quantitation was determined using external calibration.

| Mycotoxins | LOD (ppm) | LOQ (ppm) | Reporting Limits (ppm) | Parts Per Million (ppm) |
|--------------|-----------|-----------|------------------------|-------------------------|
| Aflatoxin G2 | 0.0019 | 0.0050 | 0.0050 | ND |
| Aflatoxin G1 | 0.0011 | 0.0050 | 0.0050 | ND |
| Aflatoxin B2 | 0.0017 | 0.0050 | 0.0050 | ND |
| Aflatoxin B1 | 0.0015 | 0.0050 | 0.0050 | ND |
| Ochratoxin A | 0.0033 | 0.0050 | 0.0050 | ND |

ND - not detected; T - trace; ULOQ - upper limit of quantitation; LOD - limit of detection; LOQ - limit of quantitation





Gobi Hemp - Certificate of Analysis




| Manifest: | 2308290008 | Test Performed: | Hemp Lab |
|--------------|---|------------------|------------------|
| Sample ID: | 1A-GHEMP-2308290008-0006 | Report No: | PE-2308290008-V1 |
| Sample Name | : Looper Live Badder Banana Punch - 082423ABP | Receive Date: | 2023-08-29 |
| Sample Type: | Concentrate | Test Date: | 2023-09-05 |
| Client ID: | CID-50578 | Report Date: | 2023-09-06 |
| Client: | L&K Distribution | Sample Condition | Good |
| Address: | 16831 Knott Ave, , La Mirada, CA 90638 | Method Reference | : GH-OP-11 |
| | | | |

Scope: The content of 60 pesticides were quantified using liquid chromatography coupled to multiple mass spectrometry (LC-MS2) equipped with electrospray ionization (ESI) in positive mode after sample extraction using methodology based on AOAC 2007 and EN 15662 standard procedures. Identification was based on the retention time of each compound and the product mass generated using single reaction monitoring (SRM), and quantitation was determined using external standard calibration.

| Analyte | Reporting Level µg/g | µg/g | Analyte | Reporting Level µg/g | μg/g |
|-------------------------|----------------------|------|-------------------------|----------------------|------|
| Avermectin B1a | 0.1 | ND | Hexythiazox | 0.1 | ND |
| Acephate | 0.1 | ND | Imazilil | 0.1 | ND |
| Acetamiprid | 0.1 | ND | Imidacloprid | 0.1 | ND |
| Aldicarb | 0.1 | ND | Kresoxim Methyl | 0.1 | ND |
| Azoxystrobin | 0.1 | ND | Malathion | 0.1 | ND |
| Bifenazate | 0.1 | ND | Metalaxyl | 0.1 | ND |
| Bifenthrin | 0.1 | ND | Methiocarb | 0.1 | ND |
| Boscalid | 0.1 | ND | Methomyl | 0.1 | ND |
| Captan | 0.1 | ND | Mevinphos* | 0.1 | ND |
| Carbaryl | 0.1 | ND | MGK-264 | 0.1 | NT |
| Carbofuran | 0.1 | ND | Myclobutanil | 0.1 | ND |
| Chlorantraniliprole | 0.1 | ND | Oxamyl | 0.1 | ND |
| Chlordane | 0.1 | ND | Paclobutrazol | 0.1 | ND |
| Chlorpyrifos | 0.1 | ND | Pentachloronitrobenzene | 0.1 | ND |
| Clofentazine | 0.1 | ND | Permethrin* | 0.1 | ND |
| Coumaphos | 0.1 | ND | Imidan(Phosmet) | 0.1 | ND |
| Baythroid (Cyfluthrin)* | 0.1 | NT | Piperonyl Butoxide | 0.1 | ND |
| Cypermethrin* | 0.1 | NT | Propiconazole | 0.1 | ND |
| Dichlorvos | 0.1 | ND | Propuxor | 0.1 | ND |
| Diazinon | 0.1 | ND | Pyrethrin* | 0.1 | ND |
| Dimethoate | 0.1 | ND | Pyridaben | 0.1 | ND |
| Dimethomorph* | 0.1 | ND | Spinetoram | 0.1 | ND |
| Prophos | 0.1 | ND | Spinosad* | 0.1 | ND |
| Etofenprox | 0.1 | ND | Spiromefesin | 0.1 | ND |
| Etoxazole | 0.1 | ND | Spirotetramat | 0.1 | ND |
| Fenhexamid | 0.1 | ND | Spiroxamine | 0.1 | ND |
| Fenoxycarb | 0.1 | ND | Tebuconazole | 0.1 | ND |
| Fenpyroximate | 0.1 | ND | Thiacloprid | 0.1 | ND |
| Fipronil | 0.1 | ND | Thiamethoxam | 0.1 | ND |
| Flonicamid | 0.1 | ND | Trifloxystrobin | 0.1 | ND |
| Fludioxonil | 0.1 | ND | | | |

Lab Comments:



2023-09-06 Date

Jon Person Director of Communication

This report has been prepared by Gobi Hemp Laboratory exclusively for our Client and their Authorized Representatives. All analytical work is conducted in accordance with a mutually agreed upon scope of work and the terms and conditions as expressed in the Gobi Hemp Laboratory Service Agreement. This report is not to be reproduced in whole or in part without prior written approval. The results shown on this report relate only to the samples submitted to the laboratory. Estimated Uncertainty available upon request.

Gobi Hemp - Certificate of Analysis



| Manifest: | 2308290008 | Test Performed: | Potency |
|--------------|---|-------------------|-----------------|
| Sample ID: | 1A-GHEMP-2308290008-0006 | Report No: | P-2308290008-V1 |
| Sample Name | : Looper Live Badder Banana Punch - 082423ABP | Receive Date: | 2023-08-29 |
| Sample Type: | Concentrate | Test Date: | 2023-08-25 |
| Client ID: | CID-50578 | Report Date: | 2023-09-08 |
| Client: | L&K Distribution | Sample Condition: | Good |
| Address: | 16831 Knott Ave, , La Mirada, CA 90638 | Method Reference: | GH-OP-06 |

Scope: The content of 21 cannabinoids was determined by an in-house developed method certified by CDPHE for solvent extraction followed by High Performance Liquid Chromatography with Diode Array Detection.

| | percent | mg/g |
|---|---------|---------------|
| Total THC | 2.59 | 25.87 |
| Total CBD | ND | ND |
| Total CBG | ND | ND |
| Total Cannabinoids | 4.15 | 41.50 |
| Total THC:CBD Ratio | N | IA |
| Fotal CBD = CBD + (CBDA x 0.8 Fotal THC = Δ^9 THC + (THCA x 0 | | CBG + (CBGA x |
| Cannabinoids | percent | mg/g |
| CBDVA | ND | ND |
| CBDV | ND | ND |
| CBDA | ND | ND |
| CBGA | ND | ND |
| CBG | ND | ND |
| CBD | ND | ND |
| Δ9 THCV | ND | ND |
| Δ9 THCVA | ND | ND |
| CBN | 1.20 | 12.00 |
| CBNA | ND | ND |
| EXO-THC | ND | ND |
| ∆9 THC | ND | ND |
| Δ8 THC | ND | ND |
| Δ10-S THC | ND | ND |
| CBL | ND | ND |
| Δ10-R THC | ND | ND |
| CBC | ND | ND |
| Δ9 THCA | 2.95 | 29.50 |
| CBCA | ND | ND |
| CBLA | ND | ND |
| CBT ID - not detected; T - trace; ULO | ND | ND |

Lab Comments: 9R HHC = 31.80% 9S HHC = 28.26% D9 THC-P = 5.98%

Dave Wells Laboratory Manager



Date



This report has been prepared by Gobi Hemp Laboratory exclusively for our Client and their Authorized Representatives. All analytical work is conducted in accordance with a mutually agreed upon scope of work and the terms and conditions as expressed in the Gobi Hemp Laboratory Service Agreement. This report is not to be reproduced in whole or in part without prior written approval. The results shown on this report relate only to the samples submitted to the laboratory. Estimated Uncertainty available upon request. Only cannabinoids included in the table above are ISO/IEC 17025:2017 accredited.



• Gobi Hemp • • 3940 Youngfield St. • Wheat Ridge CO 80033 • ISO/IEC 17025:2017 Accredited • (303) 955-4934 •