

Looper Booster Shot - Jet Fuel

 Sample ID: SA-260323-78691
 Batch: BS1016
 Type: Finished Product - Ingestible
 Matrix: Concentrate - Distillate
 Unit Size (g):
 Unit Volume (mL): , Density (g/mL):

 Received: 03/25/2026
 Completed: 04/01/2026

Client
 L&K Distribution
 222 S Harbor Blvd Ste 530
 Anaheim, CA 92805
 USA

Summary

Test	Date Tested	Status
Cannabinoids	03/27/2026	Tested
Heavy Metals	03/31/2026	Tested
Microbials	04/01/2026	Tested
Mycotoxins	04/01/2026	Tested
Pesticides	04/01/2026	Tested
Residual Solvents	04/01/2026	Tested

0.121 % Total Δ9-THC	62.3 % (6aR,9R,10aR)-HHC	86.5 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
--------------------------------	------------------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---



 Generated By: Jeffery Clark
 Accessioning Team Lead
 Date: 04/02/2026


Looper Booster Shot - Jet Fuel

 Sample ID: SA-260323-78691
 Batch: BSI016
 Type: Finished Product - Ingestible
 Matrix: Concentrate - Distillate
 Unit Size (g):
 Unit Volume (mL):, Density (g/mL):

 Received: 03/25/2026
 Completed: 04/01/2026

Client
 L&K Distribution
 222 S Harbor Blvd Ste 530
 Anaheim, CA 92805
 USA

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.0586	0.586
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0133	0.04	ND	ND
Δ6a,10a-THC	0.0133	0.04	ND	ND
Δ8-iso-THC	0.0133	0.04	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ8-THCP	0.0133	0.04	0.219	2.19
Δ8-THCV	0.0133	0.04	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	0.138	1.38
Δ9-THCP	0.0133	0.04	4.25	42.5
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R)-Δ10-THC	0.0133	0.04	ND	ND
(6aR,9S)-Δ10-THC	0.0133	0.04	ND	ND
exo-THC	0.0133	0.04	ND	ND
(6aR,9R,10aR)-HHC	0.0133	0.04	62.3	623
(6aR,9S,10aR)-HHC	0.0133	0.04	19.6	196
Total Δ9-THC			0.121	1.21
Total			86.5	865

ND = Not Detected; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; NT = Not Tested; UA = Unsuitable for Analysis; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Jeffery Clark
 Accessioning Team Lead
 Date: 04/02/2026



 Tested By: Kelsey Rogers
 Scientist
 Date: 03/27/2026

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651


Looper Booster Shot - Jet Fuel

Sample ID: SA-260323-78691
 Batch: BSI016
 Type: Finished Product - Ingestible
 Matrix: Concentrate - Distillate
 Unit Size (g):
 Unit Volume (mL):, Density (g/mL):

Received: 03/25/2026
 Completed: 04/01/2026

Client
 L&K Distribution
 222 S Harbor Blvd Ste 530
 Anaheim, CA 92805
 USA

Heavy Metals by ICP-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Arsenic	0.002	0.02	ND
Cadmium	0.002	0.02	ND
Lead	0.005	0.05	ND
Mercury	0.005	0.01	ND

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Jeffery Clark
 Accessioning Team Lead
 Date: 04/02/2026



Tested By: Annie Velazquez
 Assistant Scientist
 Date: 03/31/2026



Looper Booster Shot - Jet Fuel

 Sample ID: SA-260323-78691
 Batch: BSI016
 Type: Finished Product - Ingestible
 Matrix: Concentrate - Distillate
 Unit Size (g):
 Unit Volume (mL): , Density (g/mL):

 Received: 03/25/2026
 Completed: 04/01/2026

Client
 L&K Distribution
 222 S Harbor Blvd Ste 530
 Anaheim, CA 92805
 USA

Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Abamectin	30	100	ND	Hexythiazox	30	100	ND
Acephate	30	100	ND	Imazalil	30	100	ND
Acequinocyl	30	100	NR	Imidacloprid	30	100	ND
Acetamiprid	30	100	ND	Kresoxim methyl	30	100	ND
Aldicarb	30	100	ND	Malathion	30	100	ND
Azoxystrobin	30	100	ND	Metalaxyl	30	100	ND
Bifenazate	30	100	ND	Methiocarb	30	100	ND
Bifenthrin	30	100	ND	Methomyl	30	100	ND
Boscalid	30	100	ND	Mevinphos	30	100	ND
Carbaryl	30	100	ND	Myclobutanil	30	100	ND
Carbofuran	30	100	ND	Naled	30	100	ND
Chloranthraniliprole	30	100	ND	Oxamyl	30	100	ND
Chlorfenapyr	30	100	ND	Paclobotrazol	30	100	ND
Chlormequat chloride	30	100	ND	Permethrin	30	100	NR
Chlorpyrifos	30	100	ND	Phosmet	30	100	ND
Clofentezine	30	100	ND	Piperonyl Butoxide	30	100	ND
Coumaphos	30	100	ND	Prallethrin	30	100	ND
Cypermethrin	30	100	NR	Propiconazole	30	100	ND
Daminozide	30	100	ND	Propoxur	30	100	ND
Diazinon	30	100	ND	Pyrethrins	30	100	ND
DDVP (Dichlorvos)	30	100	ND	Pyridaben	30	100	ND
Dimethoate	30	100	ND	Spinetoram	30	100	ND
Dimethomorph	30	100	ND	Spinosad	30	100	ND
Ethoprophos	30	100	ND	Spiromesifen	30	100	ND
Etofenprox	30	100	ND	Spirotetramat	30	100	ND
Etoxazole	30	100	ND	Spiroxamine	30	100	ND
Fenhexamid	30	100	ND	Tebuconazole	30	100	ND
Fenoxycarb	30	100	ND	Thiacloprid	30	100	ND
Fenpyroximate	30	100	ND	Thiamethoxam	30	100	ND
Fipronil	30	100	ND	Trifloxystrobin	30	100	ND
Fonicamid	30	100	ND				
Fludioxonil	30	100	ND				

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



 Generated By: Jeffery Clark
 Accessioning Team Lead
 Date: 04/02/2026



 Authorized By: Jasper van Heemst
 Principal Scientist
 Date: 04/01/2026


Looper Booster Shot - Jet Fuel

 Sample ID: SA-260323-78691
 Batch: BSI016
 Type: Finished Product - Ingestible
 Matrix: Concentrate - Distillate
 Unit Size (g):
 Unit Volume (mL):, Density (g/mL):

 Received: 03/25/2026
 Completed: 04/01/2026

Client
 L&K Distribution
 222 S Harbor Blvd Ste 530
 Anaheim, CA 92805
 USA

Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
B1	1	5	ND
B2	1	5	ND
G1	1	5	ND
G2	1	5	ND
Ochratoxin A	1	5	ND

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



 Generated By: Jeffery Clark
 Accessioning Team Lead
 Date: 04/02/2026



 Tested By: Jasper van Heemst
 Principal Scientist
 Date: 04/01/2026


Looper Booster Shot - Jet Fuel

Sample ID: SA-260323-78691
 Batch: BSI016
 Type: Finished Product - Ingestible
 Matrix: Concentrate - Distillate
 Unit Size (g):
 Unit Volume (mL):, Density (g/mL):

Received: 03/25/2026
 Completed: 04/01/2026

Client
 L&K Distribution
 222 S Harbor Blvd Ste 530
 Anaheim, CA 92805
 USA

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)
Total aerobic count	10	ND	
Total coliforms	10	ND	
Generic E. coli	10	ND	
Salmonella spp.	1		Not Detected per 1 gram
Shiga-toxin producing E. coli (STEC)	1		Not Detected per 1 gram

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Jeffery Clark
 Accessioning Team Lead
 Date: 04/02/2026



Tested By: Sara Cook
 Laboratory Technician
 Date: 04/01/2026



Looper Booster Shot - Jet Fuel

 Sample ID: SA-260323-78691
 Batch: BS1016
 Type: Finished Product - Ingestible
 Matrix: Concentrate - Distillate
 Unit Size (g):
 Unit Volume (mL):, Density (g/mL):

 Received: 03/25/2026
 Completed: 04/01/2026

Client
 L&K Distribution
 222 S Harbor Blvd Ste 530
 Anaheim, CA 92805
 USA

Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetone	33	100	ND	Ethylene Oxide	0.5	1	ND
Acetonitrile	14	41	ND	Heptane	33	100	ND
Benzene	0.5	1	ND	n-Hexane	2	6	ND
Butane	33	100	ND	Isobutane	33	100	ND
1-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanol	167	500	ND	Isopropyl Alcohol	167	500	ND
2-Butanone	167	500	ND	Isopropylbenzene	167	500	ND
Chloroform	2	6	ND	Methanol	20	60	ND
Cyclohexane	129	388	ND	2-Methylbutane	10	29	ND
1,2-Dichloroethane	0.5	1	ND	Methylene Chloride	20	60	ND
1,2-Dimethoxyethane	4	10	ND	2-Methylpentane	2	6	ND
Dimethyl Sulfoxide	167	500	ND	3-Methylpentane	2	6	ND
N,N-Dimethylacetamide	37	109	ND	n-Pentane	33	100	ND
2,2-Dimethylbutane	2	6	ND	1-Pentanol	167	500	ND
2,3-Dimethylbutane	2	6	ND	n-Propane	33	100	ND
N,N-Dimethylformamide	30	88	ND	1-Propanol	167	500	ND
2,2-Dimethylpropane	167	500	ND	Pyridine	7	20	ND
1,4-Dioxane	13	38	ND	Tetrahydrofuran	24	72	ND
Ethanol	167	500	ND	Toluene	6	18	ND
2-Ethoxyethanol	6	16	ND	Trichloroethylene	3	8	ND
Ethyl Acetate	33	100	ND	Xylenes (o-, m-, and p-)	14	43	ND
Ethyl Ether	167	500	ND				
Ethylbenzene	3	7	ND				

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



 Generated By: Jeffery Clark
 Accessioning Team Lead
 Date: 04/02/2026



 Tested By: Kelsey Rogers
 Scientist
 Date: 04/01/2026
